

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: HEAVY DUTY CLEANER & STRIPPER
PRODUCT CODE: 3028

HMIS CODES: H F R P
1 0 0 D

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Custom Building Products, Inc.

ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201

EMERGENCY PHONE: (323) 582-0846

INFORMATION PHONE: (323) 582-0846

DATE REVISED : 6-30-00

NAME OF PREPARER : STEVE TAYLOR

REASON REVISED: NAME CHANGE.

===== SECTION II - INGREDIENTS/SARA III INFORMATION =====

COMPONENTS	CAS NUMBER	OCCUPATIONAL EXPOSURE LIMITS				VAPOR PRESSURE		Wt. %
		OSHA PEL	ACGIH TLV	mm Hg	@ TEMP			
MONOETHANOLAMINE 99%	141-43-5	TWA 3PPM		2.1	60F	< 5.0%	2-	
BUTOXYETHANOL, ETHYLENE GLYCOL								
MONOBUTYL ETHER	111-76-2	50 PPM	75 PPM	0.6	68F	15		
*GLYCOL ETHER EB	111-76-2	25 PPM	25 PPM	.88	77F	14.9		

* Chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING POINT: 212F

SPECIFIC GRAVITY (H2O=1): 1.0

VAPOR DENSITY: HEAVIER THAN AIR

EVAPORATION RATE: SLOWER THAN ETHER

SOLUBILITY IN WATER: COMPLETELY

APPEARANCE AND ODOR: LIGHT YELLOW CLEAR SOLUTION

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: NONE

METHOD USED: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: 3.0% UPPER: 23.5%

EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG.

OTHER SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF CONTAINED BREATHING APPRATUS AND FULL PROTECTIVE GEAR.

UNUSUAL FIRE AND EXPLOSION HAZARDS
REACTS WITH STRONG OXIDIZING MATERIALS.

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID
EXCESSIVE HEAT.

INCOMPATIBILITY (MATERIALS TO AVOID)
AVOID CONTACT WITH STRONG OXIDIZING MATERIALS. PREVENT CONTACT WITH COPPER,
BRONZE, BRASS AND ALUMINUM.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
CARBON MONOXIDE AND OTHER HAZARDOUS GASES MAY BE FORMED DURING COMBUSTION.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
NONE

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
VAPORS MAY CAUSE IRRITATION TO THROAT, NOSE AND RESPIRATORY TRACT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
EYES: MAY CAUSE SEVERE IRRITATION WITH CORNEAL INJURY WHICH MAY RESULT IN
PERMANENT IMPAIRMENT OF VISION.
SKIN: PROLONGED OR REPEATED EXPOSURE MAY CAUSE IRRITATION, EVEN A BURN.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
A SINGLE PROLONGED SKIN EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING
ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
PRODUCT IS MODERATELY TOXIC IF INGESTED. ACUTE ORAL TOXICITY IN RATS IS LD50
3GRAMS/KG.

HEALTH HAZARDS (ACUTE AND CHRONIC)
SEE CAUTIONS LISTED ABOVE.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
PRE-EXISTING SKIN, EYE, LUNG DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS
PRODUCT.

EMERGENCY AND FIRST AID PROCEDURES

EYES: WASH IMMEDIATELY AND CONTINUOUSLY UNTIL ABLE TO OBTAIN MEDICAL ATTENTION IF MEDICAL ASSISTANCE NOT AVAILABLE, WASH EYES FOR 30 MIN. AND SEEK HELP.

SKIN: WASH OFF WITH FLOWING WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

INGESTION: DO NOT INDUCE VOMMITTING. GIVE LARGE AMOUNTS OF MILK OR WATER IF AVAILABLE AND SEEK MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
EVACUATE THE SPILL AREA. WEAR EYE PROTECTION. DIKE AND CONTAIN SPILL WITH
INERT MATERIAL. SCOOP OR SHOVEL SOLID MATERIAL INTO A SUITABLE CONTAINER FOR
DISPOSAL. KEEP SPILLS CLEANING RUN OFF OUT OF SEWERS.

WASTE DISPOSAL METHOD

DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

STORE INDOORS IN COOL ENVIRONMENT. WEAR IMPERVIOUS GLOVES AND SAFETY GLASSES
DURING HANDLING. AVOID CONTACT WITH SKIN AND CLOTHING. PROTECT AGAINST
PHYSICAL DAMAGE.

OTHER PRECAUTIONS

NONE

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

AVOID BREATHING VAPOR. IF EXPOSURE MAY OR DOES EXCEED EXPOSURE LIMITS USE A
NIOSH APPROVED RESPIRATOR.

VENTILATION

LOCAL EXHAUST TO CONTROL VAPOR CONCENTRATIONS.

PROTECTIVE GLOVES

IMPERVIOUS CHEMICAL RESISTANT GLOVES.

EYE PROTECTION

SAFETY GLASSES WITH SPLASH GUARDS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT WEAR SUITABLE PROTECTIVE CLOTHING TO
PREVENT SKIN CONTACT WITH CHEMICAL.

WORK/HYGIENIC PRACTICES

GOOD HOUSEKEEPING PRINCIPLES SHOULD BE PRACTICED AT ALL TIMES.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT
WARRANTED TO BE WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE
ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT AND

SUITABLE TO THEIR CIRCUMSTANCES.